

SAFETY DATA SHEET GLASSWASH

SECTION 1: Identification of th	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	GLASSWASH
Product number	A069 EV
Internal identification	Janitorial
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Alkaline Liquid Detergent for Glass Washing Machines
1.3. Details of the supplier of the	ne safety data sheet
Supplier	
	Evans Vanodine International
	Brierley Road
	Walton Summit Preston. UK. PR5 8AH
	Tel: 01772 322 200
	Fax: 01772 626 000
	qclab@evansvanodine.co.uk
1.4. Emergency telephone num	nber
Emergency telephone	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available 24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri
SECTION 2: Hazards identifica	ation
2.1. Classification of the substa	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Warning
Hazard statements	H315 Causes skin irritation.
	H319 Causes serious eye irritation.

Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P102 Keep out of reach of children. P301 IF SWALLOWED: P313 Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Ocatolac	

Contains

SODIUM HYDROXIDE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
SODIUM HYDROXIDE		1-3%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-27-xxxx
Spec Conc Limits :- Skin Corr. 1A (H314) >= 5 %, Skin Corr. 1B (H314) >=2% <5 %, Skin Irrit. 2 (H315) >=0.5%<2%, Eye Irrit. 2 (H319) >=0.5% <2%		
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314		

Skin Corr. 1A - H314 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.	
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention.	
Skin contact	Wash with plenty of water. Get medical attention if irritation persists after washing.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.	
4.2. Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Irritation of nose, throat and airway.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Skin irritation. Prolonged skin contact may cause redness and irritation.	
Eye contact	May cause temporary eye irritation. Prolonged contact may cause redness and/or tearing.	

4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Small Spillages: Large Spillages: Flush away spillage with plenty of water. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	ns -
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid contact with skin and eyes.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	See Product Information Sheet & Label for detailed use of this product.
SECTION 8: Exposure Contro	Is/personal protection
8.1. Control parameters	
Occupational exposure limits	
SODIUM HYDROXIDE	
Short-term exposure limit (15- WEL = Workplace Exposure L	

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Not relevant.
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.	
Colour	Clear. (Un-dyed)	
Odour	Faint	
рН	pH (diluted solution): 10.60 @ 3ml / Litre	
Melting point	-2°C	
Initial boiling point and range	102°C @ 760 mm Hg	
Flash point	Boils without flashing.	
Relative density	1.061 @ 20°C	
Solubility(ies)	Soluble in water.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	Reactions with the following materials may generate heat: Strong acids.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Aluminium, Tin, Zinc and their alloys.	
10.6. Hazardous decompositio	on products	

Hazardous decomposition No known hazardous decomposition products.

SECTION 11: Toxicological information		
11.1. Information on toxicologic	cal effects	
Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.	
Other health effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.	
SECTION 12: Ecological Inform	nation	
Ecotoxicity	Not regarded as dangerous for the environment.	
12.1. Toxicity		
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.	
12.2. Persistence and degradability		
Persistence and degradability	Sequestrant is readily degraded during biological effluent treatment processes.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.	
12.4. Mobility in soil		
Mobility	Not known.	
12.5. Results of PBT and vPvB	assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	Not known.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment methods	<u>S</u>	
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.	
SECTION 14: Transport information		
14.1. UN number		
UN No. (ADR/RID)	3266	
UN No. (IMDG)	3266	
UN No. (ICAO)	3266	
14.2. UN proper shipping name	9	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)	

Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	Class 8: Corrosive substances.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.
Transport labels	
8	
14.4. Packing group	
IMDG packing group	III
ICAO packing group	III
14.5. Environmental hazards	
Environmentally hazardous sul No.	ostance/marine pollutant
14.6. Special precautions for u	Ser
EmS	 F-A, S-B
Tunnel restriction code	(E)
14.7. Transport in bulk according	ng to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.
SECTION 15: Regulatory inform	mation
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU

-	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification (EC) No 1272/2008 classification under GHS/CLP - Regulation (EC) No 1272/2008 classification (EC) No 1272/20
	classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG: International Maritime Dangerous Goods. ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits.
Classification abbreviations and acronyms	Eye Irrit. = Eye irritation Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Addition of missing icon in section 8 (changes made to sections 8&16)
Revision date	10/01/2019
Revision	9
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.