

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

ECXLAE

|                                 | For professional users only. |
|---------------------------------|------------------------------|
| Substance type:                 | : Mixture                    |
| Use of the<br>Substance/Mixture | : Surface cleaner            |
| Product code                    | : 109774E                    |
| Product name                    | : Pep Active                 |

Product dilution information : No dilution information provided.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses                 | : | General purpose cleaner. Spray and wipe manual process Floor cleaner. Spray and wipe manual process |
|---------------------------------|---|---|
| Recommended restrictions on use | : | Reserved for industrial and professional use.   |

## 1.3 Details of the supplier of the safety data sheet

| Company : | Ecolab Ltd.<br>PO Box 11; Winnington Avenue<br>Northwich, Cheshire, United Kingdom CW8 4DX<br>+ 44 (0)1606 74488<br>ccs@ecolab.com |
|-----------|--|
|-----------|--|

#### 1.4 Emergency telephone number

| Emergency telephone<br>number              | : | +441618841235<br>+32-(0)3-575-5555 Trans-European |
|--|---|---|
| Poison Information Centre telephone number | : | Not Available                                     |

Date of Compilation/Revision : 17.08.2017 Version : 1.0

## Section: 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

| Skin corrosion, Category 1A    | H314 |
|--------------------------------|------|
| Serious eye damage, Category 1 | H318 |

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

| Hazard pictograms        | : |                                  |   |
|--------------------------|---|----------------------------------|---|
| Signal Word              | : | Danger                           |   |
| Hazard Statements        | : | H314                             | Causes severe skin burns and eye damage.  |
| Precautionary Statements | : | Prevention:<br>P280<br>Response: | Wear protective gloves/ eye protection/ face protection.  |
|                          |   | P303 + P361 + P3                 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.                                       |
|                          |   | P305 + P351 + P3                 | 38 IF IN EYES: Rinse cautiously with water<br>for several minutes. Remove contact lenses, if<br>present and easy to do. Continue rinsing. |
|                          |   | P310                             | Immediately call a POISON CENTER/doctor.  |

Hazardous components which must be listed on the label: Alcoholsulphates

#### 2.3 Other hazards

None known.
Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

#### Hazardous components

| Chemical Name    | CAS-No.          | ClassificationREGULATION (EC) No        | Concentration: |
|------------------|------------------|---|----------------|
|                  | EC-No.           | 1272/2008                               | [%]            |
|                  | REACH No.        |   |                |
| propon 2 ol      | 67-63-0          | Elemmeble liquide Cetegery 2: H225      | >= 10 - < 20   |
| propan-2-ol      |                  | Flammable liquids Category 2; H225      | >= 10 - < 20   |
|                  | 200-661-7        | Eye irritation Category 2; H319         |                |
|                  | 01-2119457558-25 | Specific target organ toxicity - single |                |
|                  |                  | exposure Category 3; H336               |                |
|                  |                  | oxpoolate bategory o, hood              |                |
| 2-butoxyethanol  | 111-76-2         | Acute toxicity Category 4; H302         | >= 5 - < 10    |
|                  | 203-905-0        | Acute toxicity Category 4; H332         |                |
|                  |                  |   |                |
|                  | 01-2119475108-36 | Acute toxicity Category 4; H312         |                |
|                  |                  | Skin irritation Category 2; H315        |                |
|                  |                  | Eye irritation Category 2; H319         |                |
|                  |                  |   |                |
| Alcoholsulphates | 90583-19-0       | Skin irritation Category 2; H315        | >= 3 - < 5     |
|                  | 292-217-4        | Serious eye damage Category 1; H318     |                |
|                  |                  |   |                |
| Benzyl alcohol   | 100-51-6         | Acute toxicity Category 4; H302         | >= 2.5 - < 5   |
| 20112/10/00/10/  | 202-859-9        | Acute toxicity Category 4; H332         |                |
|                  |                  | Acute toxicity category 4, 11552        |                |
|                  | 01-2119492630-38 |   |                |
|                  |                  |   |                |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Section: 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

| In case of eye contact :  | Rinse immediately with plenty of water, also under the eyelids, for<br>at least 15 minutes. Remove contact lenses, if present and easy<br>to do. Continue rinsing. Get medical attention immediately.         |
|---------------------------|---|
| In case of skin contact : | Wash off immediately with plenty of water for at least 15 minutes.<br>Use a mild soap if available. Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. Get medical attention<br>immediately. |
| If swallowed :            | Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.   |
| If inhaled :              | Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.  |

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

## 4.3 Indication of immediate medical attention and special treatment needed

| Treatment | : Treat symptomatically. |
|-----------|--------------------------|
|           |                          |

## Section: 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

|     | Suitable extinguishing media                  | :  | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  |
|-----|---|----|--|
|     | Unsuitable extinguishing media                | :  | None known.  |
| 5.2 | Special hazards arising from                  | th | e substance or mixture   |
|     | Specific hazards during firefighting          | :  | Fire Hazard<br>Keep away from heat and sources of ignition.<br>Flash back possible over considerable distance.<br>Beware of vapours accumulating to form explosive concentrations.<br>Vapours can accumulate in low areas. |
|     | Hazardous combustion<br>products              | :  | Decomposition products may include the following materials:<br>Carbon oxides<br>nitrogen oxides (NOx)<br>Sulphur oxides<br>Oxides of phosphorus  |
| 5.3 | Advice for firefighters                       |    |  |
|     | Special protective equipment for firefighters | :  | Use personal protective equipment.   |
|     | Further information                           | :  | Fire residues and contaminated fire extinguishing water must be  |

disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

| Advice for non-emergency<br>personnel | : | Ensure adequate ventilation. Remove all sources of ignition. Keep<br>people away from and upwind of spill/leak. Avoid inhalation,<br>ingestion and contact with skin and eyes. When workers are<br>facing concentrations above the exposure limit they must use<br>appropriate certified respirators. Ensure clean-up is conducted by<br>trained personnel only. Refer to protective measures listed in<br>sections 7 and 8. |
|---------------------------------------|---|--|
|                                       |   | If an additional plathing is non-visual to plant with the addition takes   |

Advice for emergency : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

## **6.2 Environmental precautions**

| Environmental precautions | : Do not allow contact with soil, surface or ground water. |
|---------------------------|--|
|---------------------------|--|

#### 6.3 Methods and materials for containment and cleaning up

| Methods for cleaning up | : | Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |
|-------------------------|---|--|
|-------------------------|---|--|

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

## Section: 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

| Advice on safe handling | Do not ingest. Do not get in eyes, on skin, or on clothing. Do not<br>breathe dust/fume/gas/mist/vapours/spray. Use only with<br>adequate ventilation. Keep away from fire, sparks and heated<br>surfaces. Take necessary action to avoid static electricity<br>discharge (which might cause ignition of organic vapours). Wash<br>hands thoroughly after handling. |
|-------------------------|---|
| Hygiene measures        | Handle in accordance with good industrial hygiene and safety<br>practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after<br>handling. Provide suitable facilities for quick drenching or flushing<br>of the eyes and body in case of contact or splash hazard.                                      |

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep away from heat and sources of ignition. Keep away from

| Pep Active            |   |
|-----------------------|---|
| areas and containers  | oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. |
| Storage temperature   | : -5 °C to 40 °C  |
| 7.3 Specific end uses |   |
| Specific use(s)       | : General purpose cleaner. Spray and wipe manual process<br>Floor cleaner. Spray and wipe manual process              |

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## **Occupational Exposure Limits**

| Components          | CAS-No.  |  | Value type (Form of exposure) | Control parameters     | Basis    |
|---------------------|----------|--|-------------------------------|------------------------|----------|
| propan-2-ol         | 67-63-0  |  | TWA                           | 400 ppm<br>999 mg/m3   | UKCOSSTD |
|                     |          |  | STEL                          | 500 ppm<br>1,250 mg/m3 | UKCOSSTD |
| 2-butoxyethanol     | 111-76-2 |  | TWA                           | 25 ppm                 | UKCOSSTD |
| Further information | Sk       | Sk Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |                               |                        |          |
|                     | ·        |  | STEL                          | 50 ppm                 | UKCOSSTD |
| Further information | Sk       | Sk Can be absorbed through skin. The assigned substances are those for whic there are concerns that dermal absorption will lead to systemic toxicity.  |                               |                        |          |

## **Biological occupational exposure limits**

| Substance name  | CAS-No.  | Control parameters                                       | Sampling time | Basis       |
|-----------------|----------|--|---------------|-------------|
| 2-butoxyethanol | 111-76-2 | butoxyacetic acid: 240<br>mmol/mol creatinine<br>(Urine) | After shift   | GB EH40 BAT |

DNEL

| propan-2-ol | : End Use: Workers                                   |
|-------------|--|
|             | Exposure routes: Dermal                              |
|             | Potential health effects: Long-term systemic effects |
|             | Value: 888 mg/cm2                                    |
|             |  |
|             | End Use: Workers                                     |
|             | Exposure routes: Inhalation                          |
|             | Potential health effects: Long-term systemic effects |
|             | Value: 500 mg/m3                                     |
|             |  |
|             | End Use: Consumers                                   |
|             | Exposure routes: Dermal                              |
|             | Potential health effects: Long-term systemic effects |
|             | Value: 319 mg/cm2                                    |
|             |  |
|             | End Use: Consumers                                   |
|             | Exposure routes: Inhalation                          |
|             | Potential health effects: Long-term systemic effects |
|             | Value: 89 mg/m3                                      |
|             |  |
|             | End Use: Consumers                                   |
|             | Exposure routes: Ingestion                           |
|             | Potential health effects: Long-term systemic effects |
|             | Value: 26 ppm  |

| 2-butoxyethanol | : | End Use: Consumers<br>Exposure routes: Ingestion<br>Potential health effects: Long-term systemic effects<br>Value: 3.2 ppm |
|-----------------|---|--|

PNEC

| PNEC            |   |
|-----------------|---|
| propan-2-ol     | : Fresh water<br>Value: 140.9 mg/l            |
|                 | Marine water<br>Value: 140.9 mg/l             |
|                 | Intermittent use/release<br>Value: 140.9 mg/l |
|                 | Fresh water<br>Value: 552 mg/kg               |
|                 | Marine sediment<br>Value: 552 mg/kg           |
|                 | Soil<br>Value: 28 mg/kg                       |
|                 | Sewage treatment plant<br>Value: 2251 mg/l    |
|                 | Oral<br>Value: 160 mg/kg                      |
| 2-butoxyethanol | : Fresh water<br>Value: 8.8 mg/l              |
|                 | Marine water<br>Value: 0.88 mg/l              |
|                 | Water<br>Value: 9.1 mg/l                      |
|                 | Fresh water sediment<br>Value: 8.14 mg/kg     |
|                 | Water<br>Value: 463 mg/l                      |
|                 | Soil<br>Value: 2.8 mg/kg                      |
|                 | Value: 20 mg/kg<br>Other conditions           |
|                 |   |

## 8.2 Exposure controls

## Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

| SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 |  |  |
|--|--|--|
| Pep Active   |  |  |
|  | below occupational exposure standards.   |  |
| Individual protection measu                                  | res  |  |
| Hygiene measures   | : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.   |  |
| Eye/face protection (EN 166)                                 | : Safety goggles<br>Face-shield  |  |
| Hand protection (EN 374)                                     | <ul> <li>Recommended preventive skin protection<br/>Gloves<br/>Nitrile rubber<br/>butyl-rubber<br/>Breakthrough time: 1 – 4 hours<br/>Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4<br/>mm or equivalent (please refer to the gloves<br/>manufacturer/distributor for advise).<br/>Gloves should be discarded and replaced if there is any indication<br/>of degradation or chemical breakthrough.</li> </ul> |  |
| Skin and body protection (EN 14605)                          | : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing   |  |
| Respiratory protection (EN 143, 14387)                       | : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.                 |  |
| Environmental exposure controls                              |  |  |
| General advice   | : Consider the provision of containment around storage vessels.  |  |

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

| Appearance                              | : liquid   |
|---|--|
| Colour                                  | : light yellow   |
| Odour                                   | : alcohol-like   |
| рН                                      | : 11.5 - 12.5, 100 %                                   |
| Flash point                             | : 40 °C closed cup, Does not sustain combustion.       |
| Odour Threshold                         | : Not applicable and/or not determined for the mixture |
| Melting point/freezing point            | : Not applicable and/or not determined for the mixture |
| Initial boiling point and boiling range | : Not applicable and/or not determined for the mixture |
| Evaporation rate                        | : Not applicable and/or not determined for the mixture |

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## **Pep Active**

| Flammability (solid, gas)                  | : Not applicable and/or not determined for the mixture     |
|--|--|
| Upper explosion limit                      | : Not applicable and/or not determined for the mixture     |
| Lower explosion limit                      | : Not applicable and/or not determined for the mixture     |
| Vapour pressure                            | : Not applicable and/or not determined for the mixture     |
| Relative vapour density                    | : Not applicable and/or not determined for the mixture     |
| Relative density                           | : 0.97 - 0.98  |
| Water solubility                           | : soluble  |
| Solubility in other solvents               | : Not applicable and/or not determined for the mixture     |
| Partition coefficient: n-<br>octanol/water | : Not applicable and/or not determined for the mixture     |
| Auto-ignition temperature                  | : Not applicable and/or not determined for the mixture     |
| Thermal decomposition                      | : Not applicable and/or not determined for the mixture     |
| Viscosity, kinematic                       | : Not applicable and/or not determined for the mixture     |
| Explosive properties                       | : Not applicable and/or not determined for the mixture     |
| Oxidizing properties                       | : The substance or mixture is not classified as oxidizing. |
|  |  |

## 9.2 Other information

Not applicable and/or not determined for the mixture

## Section: 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

None known.

#### **10.6 Hazardous decomposition products**

Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

## Section: 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

## Product

| Acute oral toxicity               | : | Acute toxicity estimate : > 2,000 mg/kg      |
|-----------------------------------|---|--|
| Acute inhalation toxicity         | : | 4 h Acute toxicity estimate : > 5 mg/l       |
| Acute dermal toxicity             | : | Acute toxicity estimate : > 2,000 mg/kg      |
| Skin corrosion/irritation         | : | There is no data available for this product. |
| Serious eye damage/eye irritation | : | There is no data available for this product. |
| Respiratory or skin sensitization | : | There is no data available for this product. |
| Carcinogenicity                   | : | There is no data available for this product. |
| Reproductive effects              | : | There is no data available for this product. |
| Germ cell mutagenicity            | : | There is no data available for this product. |
| Teratogenicity                    | : | There is no data available for this product. |
| STOT - single exposure            | : | There is no data available for this product. |
| STOT - repeated exposure          | : | There is no data available for this product. |
| Aspiration toxicity               | : | There is no data available for this product. |
| Components                        |   |  |
| Acute oral toxicity               | : | propan-2-ol<br>LD50 rat: 5,840 mg/kg         |
|                                   |   | 2-butoxyethanol<br>LD50 rat: 1,500 mg/kg     |
|                                   |   | Alcoholsulphates<br>LD50 rat: 2,175 mg/kg    |
|                                   |   | Benzyl alcohol<br>LD50 rat: 1,620 mg/kg      |
| Components                        |   |  |
| Acute inhalation toxicity         | : | propan-2-ol<br>4 h LC50 rat: 30 mg/l         |
|                                   |   | Benzyl alcohol<br>4 h LC50 rat: 4.178 mg/l   |

## Components

| ep Active                |   |
|--------------------------|---|
| Acute dermal toxicity    | : propan-2-ol<br>LD50 rabbit: 12,870 mg/kg                    |
|                          | Benzyl alcohol<br>LD50 rabbit: 2,000 mg/kg                    |
| Potential Health Effects |   |
| Eyes                     | : Causes serious eye damage.                                  |
| Skin                     | : Causes severe skin burns.                                   |
| Ingestion                | : Causes digestive tract burns.                               |
| Inhalation               | : May cause nose, throat, and lung irritation.                |
| Chronic Exposure         | : Health injuries are not known or expected under normal use. |
| Experience with human    | exposure  |
| Eye contact              | : Redness, Pain, Corrosion                                    |
| Skin contact             | : Redness, Pain, Corrosion                                    |
| Ingestion                | : Corrosion, Abdominal pain                                   |
| Inhalation               | : Respiratory irritation, Cough                               |
|                          |   |

# Section: 12. ECOLOGICAL INFORMATION

# 12.1 Ecotoxicity

| Environmental Effects                               | : | This product has no known ecotoxicological effects.                       |  |
|---|---|---|--|
| Product   |   |   |  |
| Toxicity to fish                                    | : | no data available   |  |
| Toxicity to daphnia and other aquatic invertebrates | : | no data available   |  |
| Toxicity to algae                                   | : | no data available   |  |
| Components  |   |   |  |
| Toxicity to fish                                    | : | propan-2-ol<br>96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l |  |
|   |   | 2-butoxyethanol<br>96 h LC50: 1,474 mg/l                                  |  |
|   |   | Benzyl alcohol<br>96 h LC50 Fish: > 100 mg/l                              |  |
| Components  |   |   |  |
| Toxicity to daphnia and other aquatic invertebrates | : | propan-2-ol<br>LC50 Daphnia magna (Water flea): > 10,000 mg/l             |  |
|   |   | 2-butoxyethanol   |  |

| Pep Active                   |  |
|------------------------------|--|
|                              | 48 h EC50: 690 mg/l  |
|                              | Alcoholsulphates<br>48 h EC50: 31 mg/l   |
| Components                   |  |
| Toxicity to algae            | : 2-butoxyethanol<br>72 h EC50: 911 mg/l   |
| 2.2 Persistence and degrada  | ability  |
| Product                      |  |
| Biodegradability             | : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC   |
| Components                   |  |
| Biodegradability             | : propan-2-ol<br>Result: Readily biodegradable.  |
|                              | 2-butoxyethanol<br>Result: Readily biodegradable.  |
|                              | Alcoholsulphates<br>Result: Readily biodegradable.   |
|                              | Benzyl alcohol<br>Result: Readily biodegradable.   |
| 12.3 Bioaccumulative potenti | al   |
| no data available            |  |
| 2.4 Mobility in soil         |  |
| no data available            |  |
| 12.5 Results of PBT and vPvE | 3 assessment   |
| Product                      |  |
| Assessment                   | : This substance/mixture contains no components considered to b<br>either persistent, bioaccumulative and toxic (PBT), or very<br>persistent and very bioaccumulative (vPvB) at levels of 0.1% or<br>higher. |

## 12.6 Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

| Pep Active                        |  |
|-----------------------------------|--|
| Product                           | : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.   |
| Contaminated packaging            | : Dispose of as unused product. Empty containers should be taken<br>to an approved waste handling site for recycling or disposal. Do<br>not re-use empty containers. Dispose of in accordance with local,<br>state, and federal regulations.   |
| Guidance for Waste Code selection | : Organic wastes containing dangerous substances. If this product<br>is used in any further processes, the final user must redefine and<br>assign the most appropriate European Waste Catalogue Code. It<br>is the responsibility of the waste generator to determine the<br>toxicity and physical properties of the material generated to<br>determine the proper waste identification and disposal methods in<br>compliance with applicable European (EU Directive 2008/98/EC)<br>and local regulations. |

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (ADR/ADN/RID)

| 14.1 UN number               | : Not dangerous goods |
|------------------------------|-----------------------|
| 14.2 UN proper shipping      | : Not dangerous goods |
| name                         |                       |
| 14.3 Transport hazard        | : Not dangerous goods |
| class(es)                    |                       |
| 14.4 Packing group           | : Not dangerous goods |
| 14.5 Environmental hazards   | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user                         |                       |

## Air transport (IATA)

| 14.1 UN number               | : Not dangerous goods |
|------------------------------|-----------------------|
| 14.2 UN proper shipping      | : Not dangerous goods |
| name                         |                       |
| 14.3 Transport hazard        | : Not dangerous goods |
| class(es)                    |                       |
| 14.4 Packing group           | : Not dangerous goods |
| 14.5 Environmental hazards   | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user                         |                       |

## Sea transport (IMDG/IMO)

| Not dangerous goods |
|---------------------|
| Not dangerous goods |
|                     |
| Not dangerous goods |
|                     |
| Not dangerous goods |
| Not dangerous goods |
|                     |

14.6 Special precautions for<br/>user: Not dangerous goods14.7 Transport in bulk<br/>according to Annex II of<br/>MARPOL 73/78 and the IBC<br/>Code: Not dangerous goods

## Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| according to Detergents | : | less than 5 %: Anionic surfactants |
|-------------------------|---|------------------------------------|
| Regulation EC 648/2004  |   | Other constituents: Perfumes       |
|                         |   | Allergens:                         |
|                         |   | Benzyl alcohol                     |

#### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

| Other regulations | : The Chemicals (Hazard Information and Packaging for Supply)<br>Regulations.                |
|-------------------|--|
|                   | The Control of Substances Hazardous to Health Regulations.<br>Health and Safety at Work Act. |

#### **15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

#### Section: 16. OTHER INFORMATION

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

| Classification             | Justification                       |
|----------------------------|-------------------------------------|
| Skin corrosion 1A, H314    | Based on product data or assessment |
| Serious eye damage 1, H318 | Based on product data or assessment |

#### Full text of H-Statements

| H225 | Highly flammable liquid and vapour. |
|------|-------------------------------------|
| H302 | Harmful if swallowed.               |
| H312 | Harmful in contact with skin.       |
| H315 | Causes skin irritation.             |
| H318 | Causes serious eye damage.          |
| H319 | Causes serious eye irritation.      |
| H332 | Harmful if inhaled.                 |
| H336 | May cause drowsiness or dizziness.  |

#### Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or

Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 – Lethal Concentration to 50 % of a test population: LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### ANNEX: EXPOSURE SCENARIOS

#### DPD+ Substances:

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

| Route      | Substance       | CAS-No.  | EINECS-No. |
|------------|-----------------|----------|------------|
| Ingestion  | 2-butoxyethanol | 111-76-2 | 203-905-0  |
| Inhalation | propan-2-ol     | 67-63-0  | 200-661-7  |

| Dermal              | 2-butoxyethanol                | 111-76-2            | 203-905-0              |
|---------------------|--------------------------------|---------------------|------------------------|
| Eyes                | propan-2-ol<br>2-butoxyethanol | 67-63-0<br>111-76-2 | 200-661-7<br>203-905-0 |
| aquatic environment | No lead substance              |                     |                        |

## Physical properties DPD+ Substances:

| Substance       | Vapour pressure | Water solubility | Pow  | Molar Mass  |
|-----------------|-----------------|------------------|------|-------------|
| 2-butoxyethanol | 117 Pa          |                  | 0.81 | 118 g/mol   |
| propan-2-ol     | 6,020 Pa        |                  |      | 60.10 g/mol |

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

## www.ecetoc.org/tra

| Short title of Exposure<br>Scenario | : | General purpose cleaner. Spray and wipe manual process  |
|-------------------------------------|---|---|
| Use descriptors                     |   |   |
| Main User Groups                    | : | Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  |
| Sectors of end-use                  | : | <b>SU22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)   |
| Process categories                  | : | <b>PROC10:</b> Roller application or brushing<br><b>PROC11:</b> Non industrial spraying<br><b>PROC8a:</b> Transfer of substance or preparation (charging/<br>discharging) from/ to vessels/ large containers at non-dedicated<br>facilities |
| Product categories                  | : | <b>PC35:</b> Washing and cleaning products (including solvent based products)   |
| Environmental Release<br>Categories | : | <b>ERC8a:</b> Wide dispersive indoor use of processing aids in open systems   |
| Short title of Exposure<br>Scenario | : | Floor cleaner. Spray and wipe manual process  |
| Use descriptors                     |   |   |
| Main User Groups                    | : | Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  |
| Sectors of end-use :                |   | <b>SU22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)   |

| Pep Active                          |   |   |  |  |
|-------------------------------------|---|---|--|--|
| Process categories                  | : | <b>PROC10:</b> Roller application or brushing<br><b>PROC11:</b> Non industrial spraying<br><b>PROC8a:</b> Transfer of substance or preparation (charging/<br>discharging) from/ to vessels/ large containers at non-dedicated<br>facilities |  |  |
| Product categories                  | : | <b>PC35:</b> Washing and cleaning products (including solvent based products)   |  |  |
| Environmental Release<br>Categories | : | <b>ERC8a:</b> Wide dispersive indoor use of processing aids in open systems   |  |  |