

## SAFETY DATA SHEET CYCLONE SPRAY with bleach

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	CYCLONE SPRAY with bleach
Product number	A004 EV
Internal identification	Janitorial
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Spray with Bleach.
1.3. Details of the supplier of t	he safety data sheet
Supplier	
	Evans Vanodine International
	Brierley Road
	Walton Summit Preston. UK. PR5 8AH
	Tel: 01772 322 200
	Fax: 01772 626 000
	R and D Lab e-mail: rnd@evansvanodine.co.uk
1.4. Emergency telephone number	
Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thur 8.30am to 4.30pm - Fri 8.30am to 1.30pm. (Also available 24/7 from our website www.evansvanodine.co.uk) Technical Advice - 01772 318 818 - Mon to Thu 8.30am to 4.45pm - Fri 8.30am to 1.30pm
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	
Pictogram	
Signal word	Warning
Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P273 Avoid release to the environment.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 Immediately call a POISON CENTER/ doctor.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Supplemental label information	EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
Contains	SODIUM HYPOCHLORITE SOLUTION, % CI ACTIVE
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
SODIUM HYPOCHLORITE SOLU	TION, % CI ACTIVE		0.95%
CAS number: 7681-52-9	EC number: 231-668-3		
M factor (Acute) = 10	M factor (Chronic) = 1		
Spec Conc Limits :- EUH031: ≥ 5%	, 0		
Classification			
Met. Corr. 1 - H290			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
SODIUM (C12-14) ALKYL ETHOX	Y SUI PHATE		0.1-1%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-	
		2119488639-16-0020	
Spec Conc Limits :- Eye Dam. 1 (H318) >=30%, Eye Irrit. 2 (H319) >10% <30%, NC (Not Classified) <=10%			
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			

SODIUM HYDROXIDE		0.1-1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-27-xxxx
Spec Conc Limits :- Skin Corr. 1A (H314) >= 5 %, Skin Corr. 1B (H314) >=2% <5 %, Skin Irrit. 2 (H315) >=0.5%<2%, Eye Irrit. 2 (H319) >=0.5% <2%		

Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

SECTION 6: Accidental release measures	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
5.3. Advice for firefighters	
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.
5.2. Special hazards arising fro	om the substance or mixture
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.1. Extinguishing media	
SECTION 5: Firefighting meas	sures
Notes for the doctor	Treat symptomatically.
4.3. Indication of any immedia	te medical attention and special treatment needed
Eye contact	May cause temporary eye irritation. Prolonged contact may cause redness and/or tearing.
Skin contact	Causes skin irritation. Prolonged and frequent contact may cause redness and irritation.
Ingestion	May cause discomfort if swallowed.
Inhalation	Irritation of nose, throat and airway.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
4.2. Most important symptoms	and effects, both acute and delayed
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Skin contact	Wash with plenty of water. Get medical attention if irritation persists after washing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
4.1. Description of first aid mea	asures

6.1. Personal precautions, protective equipment and emergency procedures

## CYCLONE SPRAY with bleach

Personal precautions	Avoid contact with skin and eyes. For personal protection, see Section 8.
6.2. Environmental precaution	
Environmental precautions	This product is dangerous for the environment: Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and sto	orage
7.1. Precautions for safe hand	lling
Usage precautions	Wear eye protection. Wear protective gloves.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Protect from light. Store away from the following materials: Acids.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	See Product Information Sheet & Label for detailed use of this product.
SECTION 8: Exposure Control	ols/personal protection
8.1. Control parameters Occupational exposure limits SODIUM HYDROXIDE	
Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit	
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Not relevant.
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and Ch	emical Properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.	
Colour	Yellowish.	
Odour	Characteristic Hypochlorite	
рН	pH (concentrated solution): 13.2	
Melting point	-1°C	
Initial boiling point and range	101°C @ 760 mm Hg	
Flash point	Boils without flashing.	
Relative density	1.026 @ 20°C	
Solubility(ies)	Soluble in water.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	Generates toxic gas in contact with acid.	
10.2. Chemical stability		
Stability	Inadequately vented containers may become pressurised.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	Alkalis, acids, metal salts and reducing agents.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Toxic chlorine gas can be released if heated. When heated, vapours/gases hazardous to health may be formed.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicological effects		
Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.	
Other health effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.	
SECTION 12: Ecological Information		
Ecotoxicity	Harmful to aquatic life with long lasting effects.	
12.1. Toxicity		
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.	

#### 12.2. Persistence and degradability

Persistence and degradability Rapidly degrades to Sodium Chloride by chemical reaction with organic matter in effluent.

<b>·</b> ·	
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPvI	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	ls
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport inform	nation
General	Not classified for Transport.
14.1. UN number	
14.2. UN proper shipping nam	—
14.3. Transport hazard class(e	<u>əs)</u>
14.4. Packing group	
14.5. Environmental hazards	
14.6. Special precautions for user	
	ing to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.
SECTION 15: Regulatory info	mation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.
15.2. Chemical safety assessment	

#### No chemical safety assessment has been carried out as not applicable as this product is a mixture.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</li> <li>GHS: Globally Harmonized System.</li> <li>Spec Conc Limits = Specific Concentration Limits.</li> </ul>
Classification abbreviations and acronyms	Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Met. Corr. = Corrosive to metals NC (Not Classified) Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	New formulation leading to change in product classification (Changes made to sections 2,3,4,6,7,9+16)
Revision date	25/06/2019
Revision	3
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	<ul> <li>H290 May be corrosive to metals.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>