

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 22/02/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI Product code	 Mixture Cleanline Cleaner & Degreaser Concentrate WCH7-J0QA-1007-AEY4 CL1002
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against
 1.2.1. Relevant identified uses Main use category Use of the substance/mixture 1.2.2. Uses advised against 	: Professional use : Cleaning product
Restrictions on use	: Anything other than intended use as listed on the label.
1.3. Details of the supplier of the safety da	ata sheet
Prime Source PO Box 15247 Birmingham B23 3HN UK Tel: 08085 749312 E-mail: info@prime-source.co.uk	
1.4. Emergency telephone number	
Emergency number	: 01865 407 333

24 hour - Medical Emergency Only

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 1 H314 Serious eye damage/eye irritation, Category 1 H318 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/20	008 [CLP]
	GHS05
Signal word (CLP)	: Danger
Contains	: disodium metasilicate
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	 P280 - Wear eye protection, protective gloves. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	≥ 1 – < 10	Eye Irrit. 2, H319
2-butoxyethanol	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0	≥ 1 – < 10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315
disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8	≥ 1 – < 10	Skin Corr. 1B, H314 STOT SE 3, H335
Sodium Xylenesulfonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56	≥ 1 – < 10	Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Call a physician immediately.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	 Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. 		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.		
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after skin contact	: Burns.		
Symptoms/effects after eye contact	: Serious damage to eyes.		
Symptoms/effects after ingestion	: Burns.		
4.3. Indication of any immediate medical attention and special treatment needed			

Treat symptomatically.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containr	nent and cleaning up	
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	9		
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.		
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.		
Incompatible products	: Oxidizing agent. Strong bases. Strong acids.		
Special rules on packaging	: Store in a closed container. Keep only in original container.		

7.3. Specific end use(s)

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters	8.1. Control parameters		
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)		
EU - Occupational Exposure Limits			
Local name	2-(2-Butoxyethoxy)ethanol		
IOELV TWA (mg/m³)	67.5 mg/m³		
IOELV TWA (ppm)	10 ppm		
IOELV STEL (mg/m³)	101.2 mg/m³		
IOELV STEL (ppm)	15 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Ireland - Occupational Exposure Limits			
Local name	2-(2-Butoxyethoxy)ethanol		
OEL (8 hours ref) (mg/m ³)	67.5 mg/m³		
OEL (8 hours ref) (ppm)	10 ppm		
OEL (15 min ref) (mg/m3)	101.2 mg/m³		
OEL (15 min ref) (ppm)	15 ppm		
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2020		
United Kingdom - Occupational Exposure Limits			
Local name	2-(2-Butoxyethoxy)ethanol		
WEL TWA (mg/m³)	67.5 mg/m³		
WEL TWA (ppm)	10 ppm		
WEL STEL (mg/m ³)	101.2 mg/m³		
WEL STEL (ppm)	15 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

2-butoxyethanol (111-76-2)		
EU - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
IOELV TWA (mg/m³)	98 mg/m³	
IOELV TWA (ppm)	20 ppm	
IOELV STEL (mg/m ³)	246 mg/m ³	
IOELV STEL (ppm)	50 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]	
OEL (8 hours ref) (mg/m³)	98 mg/m³	
OEL (8 hours ref) (ppm)	20 ppm	
OEL (15 min ref) (mg/m3)	246 mg/m ³	
OEL (15 min ref) (ppm)	50 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-butoxyethanol (111-76-2)		
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2020	
United Kingdom - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
WEL TWA (mg/m³)	123 mg/m ³	
WEL TWA (ppm)	25 ppm	
WEL STEL (mg/m³)	246 mg/m ³	
WEL STEL (ppm)	50 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	2-Butoxyethanol	
United Kingdom (BEI)	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

Eye protection:

Safety glasses. Use eye protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required for normal conditions of use

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Colour	: Blue.
Odour	: Glycol ether.
Odour threshold	: No data available
pH	: > 11.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >62 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.01 – 1.03
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity (oral) Acute toxicity (dermal)	: Not classified : Not classified			

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)				
LD50 dermal rabbit 2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Gui		2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402			
		(Acute Dermal Toxicity), 95% CL: 2090 - 3645			

2-butoxyethanol (111-76-2)			
LD50 oral rat	1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301		
LD50 oral	414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral oxicity), 95% CL: 1020 - 1961		
LD50 dermal rat	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal oxicity)		
Skin corrosion/irritation	Causes severe skin burns. pH: > 11.5		
Serious eye damage/irritation	, Causes serious eye damage. pH: > 11.5		
Respiratory or skin sensitisation	Not classified		
Germ cell mutagenicity	Not classified		
0,	Not classified		
Reproductive toxicity	Not classified		
disodium metasilicate (6834-92-0)			
NOAEL (animal/female, F0/P)	> 159 mg/kg bodyweight Animal: rat, Animal sex: female		
STOT-single exposure : Not classified			
STOT-repeated exposure	Not classified		
disodium metasilicate (6834-92-0)			
NOAEL (oral, rat, 90 days)	227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)		
2-(2-butoxyethoxy)ethanol; diethylene glyco	monobutyl ether (112-34-5)		
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)		
2-butoxyethanol (111-76-2)			
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)		
Aspiration hazard	Not classified		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information 12.1. Toxicity

· · · · · · · · · · · · · · · · · · ·	
Ecology - general Hazardous to the aquatic environment, short-term	: Before neutralisation, the product may represent a danger to aquatic organisms. : Not classified
(acute)	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Not rapidly degradable	

disodium metasilicate (6834-92-0)	
EC50 Daphnia 1	1700 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)				
LC50 fish 1	1300 mg/l Test organisms (species): Lepomis macrochirus			
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna			
EC50 96h algae (1)	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)			

2-butoxyethanol (111-76-2)	
LC50 fish 1	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	≈ 1800 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

ADR IMDG		ΙΑΤΑ	ADN	RID			
14.1. UN number							
UN 1760 UN 1760		UN 1760	UN 1760	UN 1760			
14.2. UN proper shipping name							
CORROSIVE LIQUID, N.O.S. (disodium metasilicate)	CORROSIVE LIQUID, N.O.S. (disodium metasilicate)	N.O.S. (disodium (disodium metasilicate) N.O.S. (disodium		CORROSIVE LIQUID, N.O.S. (disodium metasilicate)			
Transport document description							
UN 1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate), 8, III, (E)	S. (disodium LIQUID, N.O.S. (disodium n.o.s. (disodium LIQUID		UN 1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate), 8, III	UN 1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate), 8, III			
14.3. Transport hazard class(es)							
8	8	8	8	8			
B B		B	B	R R			
14.4. Packing group	Ι	Ι					
	III	III	III	Ш			
14.5. Environmental haz	ards	I					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No			
No supplementary informatio	n available	1					

Overland transport		
Classification code (ADR)	:	C9
Special provisions (ADR)	:	274
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T7
Portable tank and bulk container special provisions	:	TP1, TP28
(ADR)		
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Hazard identification number (Kemler No.)	:	80

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates	:	80
		1760
Tunnel restriction code (ADR)	:	E
EAC code	:	2X
APP code	:	В
Transport by sea		
Special provisions (IMDG)	:	223, 274
Packing instructions (IMDG)		P001, LP01
IBC packing instructions (IMDG)		IBC03
Tank instructions (IMDG)		T7
Tank special provisions (IMDG)		TP1, TP28
EmS-No. (Fire)		F-A
EmS-No. (Spillage)		S-B
Stowage category (IMDG)		A
Stowage and handling (IMDG)		SW2
Properties and observations (IMDG)		Causes burns to skin, eyes and mucous membranes.
Air transport	-	
PCA Excepted quantities (IATA)		E1
PCA Limited quantities (IATA)	:	Y841
PCA limited quantity max net quantity (IATA)	:	1L
PCA packing instructions (IATA)		852
PCA max net quantity (IATA)		512 5L
CAO packing instructions (IATA)		856
CAO max net quantity (IATA)		60L
Special provisions (IATA)		A3, A803
ERG code (IATA)		8L
	•	
Inland waterway transport Classification code (ADN)		C9
		274
Special provisions (ADN)		5 L
Limited quantities (ADN)		E1
Excepted quantities (ADN)		
Equipment required (ADN)		PP, EP
Number of blue cones/lights (ADN)	•	0
Rail transport		
Classification code (RID)	÷	C9
Special provisions (RID)	•	274
Limited quantities (RID)	:	5L
Excepted quantities (RID)	•	E1
Packing instructions (RID)	•	P001, IBC03, LP01, R001
Mixed packing provisions (RID)	•	MP19
Portable tank and bulk container instructions (RID)	÷	T7
Portable tank and bulk container special provisions (RID)	:	TP1, TP28
Tank codes for RID tanks (RID)	:	L4BN
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	80
· · ·		

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:			
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Skin Corr. 1B	Skin corrosion/irritation, Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.