

## SAFETY DATA SHEET FLORAZOL BOUQUET

SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	FLORAZOL BOUQUET
Product number	A113 EV
Internal identification	Janitorial
1.2. Relevant identified uses	s of the substance or mixture and uses advised against
Identified uses	Deodoriser and Disinfectant with Bactericide.
1.3. Details of the supplier o	f the safety data sheet
Supplier	
	Evans Vanodine International
	Brierley Road
	Walton Summit
	Preston, UK. PR5 8AH
	Tel: 01772 322 200
	Fax: 01772 626 000
	qclab@evansvanodine.co.uk
1.4. Emergency telephone n	umber
Emergency telephone	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available
	24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm -
	01772 318 818 - Mon to Fri
SECTION 2: Hazards identif	fication
2.1. Classification of the sub	stance or mixture
Classification (EC 1272/200	
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	
Pictogram	
	$\wedge$
Signal word	Danger
Hazard statements	H225 Highly flammable liquid and vapour.
	H302 Harmful if swallowed.
	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Amyl Cinnamal, Benzyl Salicylate. May produce an allergic reaction.

Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P315 Get immediate medical advice/ attention.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> </ul>
	P501 Dispose of contents/ container in accordance with local regulations.
Contains	ALCOHOL (C9-11) ETHOXYLATE (8EO), METHANOL, ALKYL (C12-16) DIMETHYL BENZYL AMMONIUM CHLORIDE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/inform	ation on ingredients	
3.2. Mixtures		
ETHANOL		60-100%
CAS number: 64-17-5	EC number: 200-578-6	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
PROPAN-2-OL		10-15%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-xxxx
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
ALCOHOL (C9-11) ETHOXYLA	NTE (8EO)	1-3%
CAS number: 68439-45-2		
Alternative CAS No 13598-36-2	<u>)</u>	
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		

METHANOL		1-3%
CAS number: 67-56-1	EC number: 200-659-6	1-070
Spec Conc Limits :- STOT SE 1 (H370)		
Flam. Liq. 2 - H225 Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
STOT SE 1 - H370		
ALKYL (C12-16) DIMETHYL BENZYL A CHLORIDE	MMONIUM	1-3%
CAS number: 68424-85-1	EC number: 270-325-2	
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Amyl Cinnamal		0.1-1%
CAS number: 122-40-7	EC number: 204-541-5	
Classification		
Skin Sens. 1 - H317		
Aquatic Chronic 2 - H411		
Benzyl Salicylate		0.1-1%
CAS number: 118-58-1	EC number: 204-262-9	0.1 170
Classification		
Eye Irrit. 2 - H319 Skin Sens. 1 - H317		
Aquatic Chronic 3 - H412		
LAURYL ALCOHOL		0.1-1%
CAS number: 112-53-8	EC number: 203-982-0	
M factor (Acute) = 1		
M factor (Acute) = 1		

ALPHA CEDRENE	0.1-1%
CAS number: 469-61-4	EC number: 207-418-4
M factor (Chronic) = 1	
Classification	
Asp. Tox. 1 - H304	
Aquatic Chronic 1 - H410	
The Full Text for all R-Phrases	and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measure	95
4.1. Description of first aid mea	asures
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Causes skin irritation. Prolonged and frequent contact may cause redness and irritation.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.
4.3. Indication of any immediat	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Extinguish with foam, carbon dioxide, dry powder or water fog.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. May explode when heated or when exposed to flames or sparks.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro-	tective equipment and emergency procedures

Personal precautionsWear protective clothing, gloves, eye and face protection. No smoking, sparks, flames or<br/>other sources of ignition near spillage. For personal protection, see Section 8.

#### 6.2. Environmental precautions

**Environmental precautions** This product may have adverse effects in the aquatic environment. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning upSmall Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and<br/>absorb spillage with sand, earth or other non-combustible material. Collect and place in<br/>suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Eliminate all sources of ignition. For handling undiluted product: Wear protective clothing, gloves, eye and face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

Occupational exposure limits

#### **ETHANOL**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL

#### **PROPAN-2-OL**

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

#### METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m<sup>3</sup> Sk

WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.

#### 8.2. Exposure controls

#### Protective equipment



Appropriate engineering controls

Not relevant.

Eye/face protection

Wear eye protection.

Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body	Wear appropriate clothing to prevent any possibility of skin contact.
protection	
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Clear. Yellow.
Odour	Floral.
Melting point	-5°C
Initial boiling point and range	80°C @ 760 mm Hg
Flash point	20°C . Measured using test method, PMCC (Pensky-Martens closed cup).
Relative density	0.860 @ 20°C
Solubility(ies)	Forms an emulsion with water.
Auto-ignition temperature	425°C
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition products	
Hazardous decomposition products	No known hazardous decomposition products.
SECTION 11: Toxicological in	formation

### 11.1. Information on toxicological effects

**Toxicological effects** 

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Other health effects	Contains low levels of a sensitiser, repeated skin contact may produce an allergic reaction.
Acute toxicity - oral	
Notes (oral LD₅₀)	Classification criteria has been met – Product is classified as Harmful if Swallowed.
ATE oral (mg/kg)	1,748.42
Acute toxicity - dermal	
Notes (dermal LD <sub>50</sub> )	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	8,004.0
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	84.0
ATE inhalation (dusts/mists mg/l)	20.4
SECTION 12: Ecological Inform	mation
Ecotoxicity	Harmful to aquatic life with long lasting effects.
12.1. Toxicity	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data
	specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2. Persistence and degrada	ability
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal considerations	
13.1. Waste treatment method	<u>s</u>
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport inform	nation
General	1L As supplied, this product is consigned under the Limited Quantities provisions.

### 14.1. UN number

UN No. (ADR/RID)	1987
UN No. (IMDG)	1987
UN No. (ICAO)	1987
14.2. UN proper shipping name	8
Proper shipping name (ADR/RID)	ALCOHOLS, N.O.S. (ethanol solution & isopropanol)
Proper shipping name (IMDG)	ALCOHOLS, N.O.S. (ethanol solution & isopropanol)
Proper shipping name (ICAO)	ALCOHOLS, N.O.S. (ethanol solution & isopropanol)
14.3. Transport hazard class(e	rs <u>)</u>
ADR/RID class	Class 3: Flammable liquids.
ADR/RID label	3
IMDG class	Class 3: Flammable liquids.
ICAO class/division	Class 3: Flammable liquids.
Transport labels	
14.4. Packing group	
ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
14.5. Environmental hazards	
Environmentally hazardous sul No.	bstance/marine pollutant
14.6. Special precautions for u	ser
EmS	F-E, S-D
Tunnel restriction code	Not Applicable
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.
SECTION 15: Regulatory infor	mation
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification (EC) No 1

classification, labelling & packaging of substances & mixtures.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</li> <li>GHS: Globally Harmonized System.</li> <li>Spec Conc Limits = Specific Concentration Limits.</li> </ul>
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Asp. Tox. = Aspiration hazard Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Addition of Environmental Statement(s) due to change in M-Factor of a Raw Material. & Safety Data Sheet amended in accordance with REACH Commission Regulation (EU) No 2015/830 amendment. (Changes to Sections 2,3,15&16)
Revision date	28/11/2017
Revision	10
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

Hazard statements in full	H225 Highly flammable liquid and vapour.
	H301 Toxic if swallowed.
	H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H331 Toxic if inhaled.
	H336 May cause drowsiness or dizziness.
	H370 Causes damage to organs.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
	EUH208 Contains Amyl Cinnamal, Benzyl Salicylate. May produce an allergic reaction.