

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006, Article 31

# **CLEANLINE CABINET GLASSWASH**

Revision 0 Revision date 05/08/09

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

Product name CLEANLINE CABINET GLASSWASH

**Product code** 500-100-0043

**Product description** Automatic glass washing machine detergent

4 x5 litre plastic container.

Supplier address PRIME SOURCE

PO BOX 15247 Birmingham B22 3HN

**Telephone** 0121 328 6740

Email info@prime-source.co.uk

**Emergency telephone** 

(Office hours)

0121 328 6740

SDS information provided by info@coventrychemicals.com

#### 2. HAZARDS IDENTIFICATION

Causes burns.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	EINECS No	CAS No	%	Symbol	R Phrases
Sodium hydroxide	215-185-5	1310-73-2	0-5	С	R35
Tetrasodium EDTA	200-573-9	64-02-8	5-15	Xn	R22-41

### 4. FIRST-AID MEASURES

**Inhalation** May cause irritation to respiratory system. Remove patient to fresh air, keep

warm and at rest. In severe cases, if recovery is not rapid or complete, seek

medical attention.

**Skin contact** Causes burns. Remove contaminated clothing. Wash thoroughly with plenty of

running water. Obtain medical attention immediately.

**Eye Contact** Causes severe inflammation and may damage the cornea. Keeping eye open,

immediately irrigate with water or eyewash for at least 15 minutes. Obtain

medical attention immediately.

**Ingestion** Do not induce vomiting. Provided the patient is conscious, wash out mouth

with water and give water to drink. Obtain medical attention immediately.

# **CLEANLINE CABINET GLASSWASH**

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** Water, foam or dry material.

Non- combustible but when involved in fires, toxic fumes will be evolved, thus a self-contained breathing apparatus should be worn.

### 6. ACCIDENTAL RELEASE MEASURES

Small Spillages Do not allow product to enter drains. Dilute to waste with plenty of

water.

**Large Spillages** Evacuate personnel to a safe area. Wear personal protective

equipment listed in section 8. Contain and absorb with sand, earth or granules. Transfer to suitable, labelled containers for disposal. Clean

spillage area thoroughly with plenty of water.

# 7. HANDLING AND STORAGE

**Handling** Ensure adequate ventilation of the working area. Wear the personal protective

equipment listed in Section 8. Avoid contact with skin and eyes. Avoid

inhalation of high concentrations of mists.

**Storage** Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear chemical protective clothing, PVC or rubber gloves and eye shields when handling concentrate. Respiratory protection type approved for mists if OES likely to be exceeded.

# **Occupational Exposure Limits:**

Hazardous Ingredient LTEL 8hr TWA STEL

ppm mg/m<sup>3</sup> ppm mg/m<sup>3</sup>

sodium hydroxide - - 2

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance clear pale yellow liquid

Odour faint characteric

pH 13.0 Flash point °C N/A Relative Density (20°C) 1.100 Solubility in water soluble

# **CLEANLINE CABINET GLASSWASH**

#### 10. STABILITY AND REACTIVITY

Stability Stable

**Conditions to Avoid** Contact with acids.

**Materials to Avoid** Aluminium, zinc, lead, tin, and alloys of these metals.

Hazardous Decomposition Products: None when stored and handled correctly.

### 11. TOXICOLOGICAL INFORMATION

**Inhalation** Mist is irritating to nose, throat and respiratory system.

**Skin Contact** May cause severe burns that are slow to heal. Deep ulceration may cause

scarring.

Eye Contact May cause severe burns with formation of corneal ulcers and permanent eye

damage.

**Ingestion** Will burn the mouth, gullet and stomach. Lethal dose for man is approximately

5g sodium hydroxide or 100g Cabinet Glasswash..

# 12. ECOLOGICAL INFORMATION

Biodegradable, but concentrate may harm vegetation, fish, other aquatic organisms and plants owing to high pH.

### 13. DISPOSAL CONSIDERATIONS

**Product** Where practical, waste or surplus material should be recovered and recycled.

Dispose of according to national and local authority regulations for via an

appropriately licensed waste contractor.

Packaging Packaging is recyclable and, where practical, containers and packaging should

be recycled by a licensed contractor. Wash out empty containers with water

before disposal.

# **CLEANLINE CABINET GLASSWASH**

#### 14. TRANSPORT INFORMATION

UN No 1719

Road Carriage Corrosive liquid

ADR/RID Class and Packing Goup 8, III IMDG Class and Packing Group 8, III

Proper Shipping Name CAUSTIC ALKALI LIQUID, N.O.S. (contains sodium

hydroxide)

Marine Pollutant No Intrastat/Commodity Code -

#### 15. REGULATORY INFORMATION

CHIP Classification CORROSIVE

Hazard Symbol

**Risk Phrases** 

R34 Causes burns

### **Safety Phrases**

S2 Keep out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S28 After contact with skin, wash immediately with plenty of water. S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

#### 16. OTHER INFORMATION

Follow machine manufacturer's instructions carefully.

Text of the R-phrases that are allocated to the ingredients listed in section 3 of this safety data sheet

R22 Harmful if swallowed

R41 Risk of serious damage to eyes.

R35 Causes severe burns

# (Revised sections are indicated by sidelining.)

PLEASE ENSURE THIS SAFETY DATA SHEET IS PASSED TO THE APPROPRIATE PERSONS IN YOUR COMPANY. WHO ARE CAPABLE OF ACTING ON THE INFORMATION.

The information this sheet contains does not constitute on its own the user's own assessment of workplace risk as required by other health and safety legislation eg. HSW ACT COSHH, MHSW Regulations or other. The user's attention is drawn to the possible risks incurred by using the product for any other purpose than that for which it was intended.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.