

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Carefree Maintainer

Revision: 2019-07-01

Version: 02.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Maintainer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For professional use only. AISE-P403 - Floor cleaner. Manual process Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) (Methylchloroisothiazolinone, Methylisothiazolinone)

Hazard statements:

H319 - Causes serious eye irritation. EUH208 - May produce an allergic reaction.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--|-----------|------------|--------------|---------------------|-------|-------------------|
| alkyl alcohol ethoxylate | [4] | 68439-46-3 | [4] | Acute Tox. 4 (H302) | | 3-10 |
| | | | | Eye Dam. 1 (H318) | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | 220-239-6 | 55965-84-9 | [6] | Acute Tox. 3 (H301) | | < 0.01 |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | 247-500-7 | | | Acute Tox. 3 (H311) | | |

| 220-239-6] (3:1) | | | | Acute Tox. 3 (H331) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Met. Corr. 1 (H290) | |
|------------------------------|-----------|-----------|-----|---|--------|
| 1,2-benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5 | [6] | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | < 0.01 |

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

| 4.1 Description of first aid measures | |
|---------------------------------------|--|
| Inhalation: | Get medical attention or advice if you feel unwell. |
| Skin contact: | Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention. |
| Eye contact: | Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention. |
| Ingestion: | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. |
| Self-protection of first aider: | Consider personal protective equipment as indicated in subsection 8.2. |
| 4.2 Most important symptoms and eff | ects, both acute and delayed |

| Inhalation: | No known effects or symptoms in normal use. |
|---------------|---|
| Skin contact: | No known effects or symptoms in normal use. |
| Eye contact: | Causes severe irritation. |
| Ingestion: | No known effects or symptoms in normal use. |

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions: No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|---|--------------------|-----------------------|-------------------|----------------------|
| | effects | effects | effects | effects |
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | No data available | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL dermal exposure - Worker

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|-------------------------------|---|------------------------------|--|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|-------------------------------|---|------------------------------|--|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | _ | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

| DNEL inhalatory exposure - Worker (mg/m3) | | | | |
|---|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | No data available | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

Environmental exposure

| Environmental exposure - PNEC | | | | |
|---|----------------------|-----------------------|---------------------|------------------|
| Ingredient(s) | Surface water, fresh | Surface water, marine | Intermittent (mg/l) | Sewage treatment |
| | (mg/l) | (mg/l) | | plant (mg/l) |
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | - | - | - | - |

Carefree Maintainer

| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | | |
|--|---|---|---|---|
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|---|---------------------------------|-----------------------------|--------------|-------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product: Covering activities such as filling and transfer of product to application equipment, flasks or buckets

| Appropriate engineering controls: Appropriate organisational controls: | No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel. |
|--|--|
| Personal protective equipment Eye / face protection: | Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166). |
| Hand protection: Body protection: Respiratory protection: | No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. |
| Environmental exposure controls: | No special requirements under normal use conditions. |
| Recommended safety measures for hand | lling the <u>diluted</u> product: |
| Recommended maximum concentration | on (%): 10 |
| Appropriate engineering controls: Appropriate organisational controls: | No special requirements under normal use conditions. No special requirements under normal use conditions. |
| Personal protective equipment Eye / face protection: Hand protection: Body protection: Respiratory protection: | No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. |
| Environmental exposure controls: | No special requirements under normal use conditions. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid Colour: Opaque, Pink Odour: Slightly perfumed Odour threshold: Not applicable pH: ≈ 7 (neat) Dilution pH: ≈ 7 Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

ISO 4316 ISO 4316 Not relevant to classification of this product See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|---|-------------------|------------------|-------------------------------|
| alkyl alcohol ethoxylate | > 232.2 | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Flammability (liquid): Not flammable.

Method / remark

Method / remark

Flash point (°C): > 60 °C Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) Evaporation rate: Not relevant for classification of this product. Flammability (solid, gas): Not flammable Not applicable to liquids Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|---|-------------------|------------------|---------------------|
| alkyl alcohol ethoxylate | < 10 | Method not given | 37.8 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Vapour density: Not determined Relative density: $\approx 1.00 (20 \ ^{\circ}C)$ Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|---|-------------------|------------------|---------------------|
| alkyl alcohol ethoxylate | 100 Soluble | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable. Viscosity: Not determined Explosive properties: Not explosive. Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Method / remark

Not relevant to classification of this product Weight of evidence

Not relevant to classification of this product

closed cup

See substance data

Method / remark

Method / remark

OECD 109 (EU A.3)

See substance data

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2

Species: Not applicable.

Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|---|----------|------------------|---------|------------------|----------------------|
| alkyl alcohol ethoxylate | LD 50 | 1400 | Rat | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 64 | Rat | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|---|----------|------------------|---------|-------------------|----------------------|
| alkyl alcohol ethoxylate | LD 50 | 2000 - 5000 | Rat | Method not given | time (ii) |
| | | | | ş | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 87.12 | Rabbit | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | OECD 402 (EU B.3) | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|----------------------|---------|--------|----------------------|
| alkyl alcohol ethoxylate | | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50 | 0.33 | Rat | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|--------------|---------|------------------|---------------|
| alkyl alcohol ethoxylate | Not irritant | | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Corrosive | | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | Corrosive | | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|---------------|---------|------------------|---------------|
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Severe damage | | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | Severe damage | | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-----------------|------------|---|-------------------|
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Sensitising | Guinea pig | Method not given OECD 406 (EU B.6) / GPMT | |
| 1,2-benzisothiazol-3(2H)-one | Sensitising | Guinea pig | | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | No data available | | | |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|--------------------------|-------------------|---------------------|
| , , | No evidence for mutagenicity, negative test results | OECD 473 | No data available | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for mutagenicity | Method not given | No data available | |
| | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|---|--|
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, negative test results |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | No evidence for carcinogenicity, negative test results |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | |
| 1,2-benzisothiazol-3(2H)-one | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---|----------|-----------------|-----------------------|---------|-----------|------------------|---|
| alkyl alcohol ethoxylate | NOAEL | | > 250 | Rat | Not known | | No effects on fertility No developmental toxicity |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC No 220-239-6] (3:1) | | | No data available | | | | No evidence for reproductive toxicity No evidence for teratogenic effects |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | |

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|---------------------|-------------------------|---|
| alkyl alcohol ethoxylate | NOAEL | 80 - 400 | | Method not given | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Specific effects and organs |
|--|----------|--------------|---------|--------------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| alkyl alcohol ethoxylate | NOAEL | 80 | | OECD 411 (EU | 90 | |
| | | | | B.28) | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | |
| 220-239-6] (3:1) | | | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data | | | | |
| | | available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|-------------------------|---|
| alkyl alcohol ethoxylate | | No data | | | | |
| | | available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | |
| 220-239-6] (3:1) | | | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data | | | | |
| | | available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---|-------------------|----------|-----------------------|---------|--------|------------------|---|--------|
| alkyl alcohol ethoxylate | | | No data available | | | | | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC No 220-239-6] (3:1) | | | No data available | | | | | |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| alkyl alcohol ethoxylate | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | No data available |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | |
| 1,2-benzisothiazol-3(2H)-one | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| alkyl alcohol ethoxylate | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | |
| 1,2-benzisothiazol-3(2H)-one | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

| Aquatic short-term toxicity - lish | | | | | |
|---|----------|-----------------|------------------------|-------------------------------|----------------------|
| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
| alkyl alcohol ethoxylate | LC 50 | 5 - 7 | Fish | 92/69/EEC, C1, semi-static | 96 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50 | 0.28 | Lepomis macrochirus | OECD 203 (EU C.1) | 96 |
| 1,2-benzisothiazol-3(2H)-one | LC 50 | 2.18 | Oncorhynchus mykiss | OECD 203 (EU C.1) | |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|-------------------------|-------------------|----------------------|
| alkyl alcohol ethoxylate | EC 50 | 5.3 | Daphnia | 92/69/EEC | 48 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 50 | 0.126 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |
| 1,2-benzisothiazol-3(2H)-one | EC 50 | 2.94 | Daphnia | OECD 202 (EU C.2) | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|--|-------------------|----------------------|
| alkyl alcohol ethoxylate | EC 50 | 1.4 - 47 | Not specified | 92/69/EEC | 72 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 50 | 0.003 | Pseudokirchner iella subcapitata | OECD 201 (EU C.3) | 72 |
| 1,2-benzisothiazol-3(2H)-one | Er C 50 | 0.11 | | OECD 201 (EU C.3) | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|---|----------|-----------|---------|--------|-------------|
| | | (mg/l) | | | time (days) |
| alkyl alcohol ethoxylate | | No data | | | - |
| | | available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | | No data | | | - |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | available | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data | | | |
| · · · · · · · · · · · · · · · · · · · | | available | | | |

| Impact on sewage plants - toxicity to bacteria Ingredient(s) | Endpoint | Value | Inoculum | Method | Exposure |
|--|----------|--------|-----------|------------------|-----------|
| | | (mg/l) | | | time |
| alkyl alcohol ethoxylate | EC 50 | > 140 | Bacteria | Method not given | 3 hour(s) |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | EC 20 | 0.97 | Activated | OECD 209 | 3 hour(s) |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | sludge | | |
| 1,2-benzisothiazol-3(2H)-one | EC 20 | 3.3 | Activated | OECD 209 | 3 hour(s) |
| | | | sludge | | |

Carefree Maintainer

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|---------------|---------------------|------------------|------------------|
| alkyl alcohol ethoxylate | EC 10 | 8.983 | Not specified | Method not given | 21 day(s) | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|-------------|---------------------|------------------|------------------|
| alkyl alcohol ethoxylate | EC 10 | 2.579 | Daphnia sp. | Method not given | 21 day(s) | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | ~~~~~~ | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

| Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available: | | | | | | | | |
|--|----------|---------------------------------|---------|--------|-------------------------|------------------|--|--|
| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed | | |
| alkyl alcohol ethoxylate | | No data available | | | - | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | - | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | | | |

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|--|----------|-----------|---------|--------|-------------|------------------|
| | | (mg/kg dw | | | time (days) | |
| | | soil) | | | | |
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | - | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | |
| 220-239-6] (3:1) | | | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|--|----------|-----------|---------|--------|-------------|------------------|
| | | (mg/kg dw | | | time (days) | |
| | | soil) | | | | |
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | - | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | |
| 220-239-6] (3:1) | | | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|--|----------|-----------|---------|--------|-------------|------------------|
| | | | | | time (days) | |
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | - | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | |
| 220-239-6] (3:1) | | | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw | Species | Method | Exposure time (days) | Effects observed |
|--|----------|--------------------|---------|--------|-------------------------|------------------|
| | | soil) | | | | |
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | - | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | |
| 220-239-6] (3:1) | | | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|-------------------------|------------------|
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | - | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | |

| | | | |
|------------------|------|--|--|
| 220-239-6] (3:1) | | | |

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--|----------|----------------------|-------------------|-----------------------|----------------------------|
| alkyl alcohol ethoxylate | | | 60 % in 28 day(s) | Read across | Readily biodegradable |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | Oxygen depletion | > 60% | OECD 301D | Readily biodegradable |
| 1,2-benzisothiazol-3(2H)-one | | | | Weight of evidence | Not readily biodegradable. |

Ready biodegradability - anaerobic and marine conditions, if available:

Kaw

Degradation in relevant environmental compartments, if available:

| | Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|---|------------------------------|--------------------------------------|------------------------|-------|-----------|---------------|
| ĺ | 1,2-benzisothiazol-3(2H)-one | Sewage treatment plant simulation | Primary degradation | > 90% | OECD 303A | Biodegradable |

12.3 Bioaccumulative potential

| Partition coefficient n-octanoi/water (log r | (0w) | | | |
|---|---------------|------------------|------------------------------------|--------|
| Ingredient(s) | Value | Method | Evaluation | Remark |
| alkyl alcohol ethoxylate | 3.11 - 4.19 | Method not given | High potential for bioaccumulation | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -0.71 - +0.75 | Method not given | No bioaccumulation expected | |
| 1,2-benzisothiazol-3(2H)-one | 0.7 | OECD 107 | No bioaccumulation expected | |

| Bioconcentration factor (| | 0 | N1 . 1 | | |
|---------------------------|-------------------|---------|------------------|------------------------------------|--------|
| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
| alkyl alcohol ethoxylate | < 500 | | Method not given | High potential for bioaccumulation | |
| 5-chloro-2-methyl-2H-is | No data available | | | | |
| othiazol-3-one [EC No | | | | | |
| 247-500-7] and | | | | | |
| 2-methyl-2H-isothiazol- | | | | | |
| 3-one [EC No | | | | | |
| 220-239-6] (3:1) | | | | | |
| 1,2-benzisothiazol-3(2H | 6.95 | | OECD 305 | | |
|)-one | | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--|--------------------------------------|---|--------|-----------------------|--|
| alkyl alcohol ethoxylate | No data available | | | | Potential for mobility in soil, soluble in water |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 20 01 29* - detergents containing dangerous substances.

| Empty packaging |
|---------------------------|
| Recommendation: |
| Suitable cleaning agents: |

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

Regulation (EC) No. 1907/2006 - REACH

Regulation (EC) No 1272/2008 - CLP

· Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: TVH6-S0K3-C00A-S2F7

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants perfumes, Dimethylol Glycol, Amyl Cinnamal, Hexyl Cinnamal, Methylchloroisothiazolinone, Methylisothiazolinone, Benzyl Alcohol, Methylisothiazolinone, Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7243

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 3, 4, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

H290 - May be corrosive to metals.
H301 - Toxic if swallowed.

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- · H315 Causes skin irritation.
- · H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage. • H331 - Toxic if inhaled.
- H400 Very toxic to aquatic life. • H410 - Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit
- · EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic • PNEC - Predicted No Effect Concentration
- · REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

Revision: 2019-07-01

5 - 15 %

Version: 02.4

- ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
 EC50 effective concentration, 50%
 NOEL No observed effect level
 NOAEL No observed adverse effect level
 OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet