



According to Regulation (EC) No 1907/2006

Soft Care Sensisept H34

Revision: 2018-12-09 Version: 01.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Soft Care Sensisept H34

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P1300 - Professional hand cleaner / disinfectant

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

2.2 Label elements



Signal word: Warning.

Hazard statements:

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
glycerol	200-289-5	56-81-5	01-2119471987-18	Not classified as hazardous		3-10
chlorhexidine digluconate	242-354-0	18472-51-0	No data available	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		1-3
sodium cocoamphopropionate	298-632-7	93820-52-1	No data available	Eye Irrit. 2 (H319)		1-3
2-phenoxyethanol	204-589-7	122-99-6	01-2119488943-21	Acute Tox. 4 (H302)		1-3

Eye Irrit. 2 (H319)

- Workplace exposure limit(s), if available, are listed in subsection 8.1. [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.
- [2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.
- [3] Exempted: Annex V of Regulation (EC) No 1907/2006.
- [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, Eye contact:

if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell. Ingestion:

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. Skin contact: No known effects or symptoms in normal use. Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
glycerol	10 mg/m³ mist	30 mg/m ³ mist

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure
DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
glycerol	No data available	No data available	-	229
chlorhexidine digluconate	-	-	-	-
sodium cocoamphopropionate	No data available	No data available	No data available	No data available
2-phenoxyethanol	-	17.43	-	17.43

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
glycerol	No data available	-	No data available	No data available
chlorhexidine digluconate	-	-	-	-
sodium cocoamphopropionate	No data available	No data available	No data available	No data available
2-phenoxyethanol	No data available	-	No data available	34.72

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
glycerol	No data available	-	No data available	-
chlorhexidine digluconate	-	-	-	-
sodium cocoamphopropionate	No data available	No data available	No data available	No data available
2-phenoxyethanol	No data available	-	No data available	20.83

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
glycerol	-	-	-	56
chlorhexidine digluconate	-	-	-	-
sodium cocoamphopropionate	No data available	No data available	No data available	No data available
2-phenoxyethanol	-	-	8.07	8.07

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
glycerol	-	-	-	33
chlorhexidine digluconate	-	-	-	-
sodium cocoamphopropionate	No data available	No data available	No data available	No data available
2-phenoxyethanol	-	-	2.41	2.41

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
glycerol	0.885	0.0885	8.85	1000
chlorhexidine digluconate	-	-	-	-
sodium cocoamphopropionate	No data available	No data available	No data available	No data available
2-phenoxyethanol	0.943	0.0943	3.44	24.8

Environmental exposure - PNEC, continued

Ingredie	ent(s)	Sediment, freshwater	Sediment, marine	Soil (mg/kg)	Air (mg/m³)
		(mg/kg)	(mg/kg)		

glycerol	3.3	0.33	0.141	-
chlorhexidine digluconate	-	-	-	-
sodium cocoamphopropionate	No data available	No data available	No data available	No data available
2-phenoxyethanol	7.2366	0.7237	1.26	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions. **Hand protection:**Not applicable.

Body protection:No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid

Colour: Hazy, from Colourless to Yellow

Odour: Product specific
Odour threshold: Not applicable

pH: ≈ 7 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
glycerol	290	Method not given	1013
chlorhexidine digluconate	Product decomposes before boiling	OECD 103 (EU A.2)	
sodium cocoamphopropionate	No data available		
2-phenoxyethanol	244.3	OECD 103 (EU A.2)	

Method / remark

Flammability (liquid): Not determined. Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Substance data, narrinability of explosive limits, if available.		
Ingredient(s)	Lower limit	Upper limit
	(% vol)	(% vol)
glycerol	2.7	19
chlorhexidine digluconate	-	-
2-phenoxyethanol	1.4	9

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
glycerol	< 1	Method not given	20
chlorhexidine digluconate	0.0051	OECD 104 (EU A.4)	25
sodium cocoamphopropionate	No data available		
2-phenoxyethanol	10	Method not given	20

Method / remark

Vapour density: Not determined Relative density: ≈ 1.04 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
glycerol	500	Method not given	20
chlorhexidine digluconate	Soluble	OECD 105 (EU A.6)	25
sodium cocoamphopropionate	No data available		
2-phenoxyethanol	24	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: ≈ 875 mPa.s (20 °C) Explosive properties: Not explosive. Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Not relevant to classification of this product

Corrosion to metals: Not corrosive Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
glycerol	LD 50	12600	Rat	Method not given	
chlorhexidine digluconate	LD 50	> 2000	Rat	OECD 401 (EU B.1)	
sodium cocoamphopropionate		No data available			
2-phenoxyethanol	LD 50	1840	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure

		(mg/kg)			time (h)
glycerol	LD 50	> 10000	Rabbit	Method not given	
chlorhexidine digluconate	LD 50	> 5000	Rabbit	EPA OPP 81-2	
sodium cocoamphopropionate		No data available			
2-phenoxyethanol	LD 50	> 2214	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
glycerol		> 2.75	Rat	Weight of evidence	4 Hrs.
chlorhexidine digluconate		No data available			
sodium cocoamphopropionate		No data available			
2-phenoxyethanol	LC ₀	> 1 (mist)	Rat	Method not given	6

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
glycerol	Not irritant		OECD 404 (EU B.4)	
chlorhexidine digluconate	Not irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)
sodium cocoamphopropionate	No data available			
2-phenoxyethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
glycerol	Not corrosive or irritant		Method not given	
chlorhexidine digluconate	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cocoamphopropionate	No data available			
2-phenoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
glycerol	No data available			
chlorhexidine digluconate	No data available			
sodium cocoamphopropionate	No data available			
2-phenoxyethanol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
glycerol	Not sensitising	Human	Human repeated patch	
			test	
chlorhexidine digluconate	Not sensitising	Guinea pig	Method not given	
sodium cocoamphopropionate	No data available			
2-phenoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
glycerol	No data available			
chlorhexidine digluconate	No data available			
sodium cocoamphopropionate	No data available			
2-phenoxyethanol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
glycerol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
chlorhexidine digluconate			No evidence of genotoxicity, negative test results No evidence for mutagenicity	OECD 474 (EU B.12)
sodium cocoamphopropionate	No data available		No data available	
2-phenoxyethanol	No evidence for mutagenicity, negative test results	Method not given	No data available	

Carcinogenicity

Ingredient(s) Effect	Ingredient(s)	Effect
------------------------	---------------	--------

glycerol	No evidence for carcinogenicity, negative test results
chlorhexidine digluconate	No evidence for carcinogenicity, negative test results
sodium cocoamphopropionate	No data available
2-phenoxyethanol	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
glycerol			No data available				Not toxic for reproduction
chlorhexidine digluconate			-	Rat	Weight of evidence OECD 414 (EU B.31), oral		No evidence for reproductive toxicity No evidence for developmental toxicity No evidence for teratogenic effects
sodium cocoamphopropionate			No data available				
2-phenoxyethanol			No data available				No evidence for reproductive toxicity No known significant effects or critical hazards

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
glycerol		No data available				
chlorhexidine digluconate		No data available				
sodium cocoamphopropionate		No data available				
2-phenoxyethanol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
glycerol		No data available				
chlorhexidine digluconate		No data available				
sodium cocoamphopropionate		No data available				
2-phenoxyethanol		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
glycerol		No data				unotou
		available				
chlorhexidine digluconate		No data				
		available				
sodium cocoamphopropionate		No data				
		available				
2-phenoxyethanol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
glycerol			No data available					
chlorhexidine digluconate			No data available					
sodium cocoamphopropionate			No data available					
2-phenoxyethanol			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
glycerol	No data available
chlorhexidine digluconate	Not applicable
sodium cocoamphopropionate	No data available
2-phenoxyethanol	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
glycerol	No data available

chlorhexidine digluconate	Not applicable
sodium cocoamphopropionate	No data available
2-phenoxyethanol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
glycerol	LC 50	54000	Oncorhynchus mykiss	Method not given	96
chlorhexidine digluconate	LC 50	2.08	Brachydanio rerio	OECD 203 (EU C.1)	96
sodium cocoamphopropionate		No data available			
2-phenoxyethanol	LC 50	344	Pimephales promelas	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
glycerol	EC 50	> 10000	Daphnia magna Straus	Method not given	24
chlorhexidine digluconate	EC 50	0.087 (measured)	Daphnia magna Straus	OECD 202 (EU C.2)	48
sodium cocoamphopropionate		No data available			
2-phenoxyethanol	EC 50	> 500	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
glycerol		No data available			-
chlorhexidine digluconate	Er C 50	0.081 (measured)	Desmodesmus subspicatus	OECD 201 (EU C.3)	72
sodium cocoamphopropionate		No data available			
2-phenoxyethanol	EC 50	> 500	Desmodesmus subspicatus	DIN 38412, Part 9	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
glycerol		No data			-
		available			
chlorhexidine digluconate		No data			
		available			
sodium cocoamphopropionate		No data			
		available			
2-phenoxyethanol		No data			-
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
glycerol	EC 50	> 10000	Pseudomonas putida	Method not given	16 hour(s)
chlorhexidine digluconate	EC 50	25	Activated sludge	OECD 209	3 hour(s)
sodium cocoamphopropionate		No data available			

Effects observed

2-phenoxyethanol		E	C 20 620	Activ		ISO 8192	0.5 hour(
quatic long-term toxicity				slud	dge		
uatic long-term toxicity - fish Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects o	bserved
glycerol		No data available					
chlorhexidine digluconate		No data					
sodium cocoamphopropionate		available No data					
2-phenoxyethanol	NOEC	available 23	Pimephales	Method not	34 day(s)		
			promelas	given	0 1 227(0)		
quatic long-term toxicity - crustacea							
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects o	bserved
glycerol		No data			1		
chlorhexidine digluconate	NOEC	available 0.0206	Daphnia	OECD 211	21 day(s)		
sodium cocoamphopropionate		(measured) No data	magna				
	NOTO	available	D	0505 244	24 -1 ()		
2-phenoxyethanol	NOEC	9.43	Daphnia magna	OECD 211	21 day(s)		
quatic toxicity to other aquatic benthic organisms,	including sediment	t-dwelling organ	isms if available:				
Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects o	bserved
glycerol		sediment) No data			-		
chlorhexidine digluconate	NOEC	available 21	Chironomus	OECD 218			
			riparius	0200210			
sodium cocoamphopropionate		No data					
		available					
2-phenoxyethanol		No data available			-		
· · ·		No data			-		
errestrial toxicity	hworms, if available	No data available			-		
· · ·	hworms, if availabl	No data available e: Value (mg/kg dw	Species	Method	Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart		No data available e: Value (mg/kg dw soil) No data	Species	Method	Exposure	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s)		No data available e: Value (mg/kg dw soil)	Species Eisenia fetida	Method OECD 207	Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol	Endpoint	No data available e: Value (mg/kg dw soil) No data available	·		Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol	Endpoint NOEC	e: Value (mg/kg dw soil) No data available > 1000	Eisenia fetida	OECD 207	Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate	Endpoint NOEC	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw	Eisenia fetida	OECD 207	Exposure time (days)	Effects o	
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available:	NOEC LD 50	No data available e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data	Eisenia fetida Eisenia fetida	OECD 207 OECD 207	Exposure time (days) - 14 14 Exposure		
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s)	NOEC LD 50	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil)	Eisenia fetida Eisenia fetida	OECD 207 OECD 207	Exposure time (days) - 14 14 Exposure time (days)		
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s)	NOEC LD 50 Endpoint	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 1000	Eisenia fetida Eisenia fetida Species	OECD 207 OECD 207 Method	Exposure time (days) - 14 14 14 Exposure time (days) -		
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol	NOEC LD 50 Endpoint EC 50	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 1000 1000	Eisenia fetida Eisenia fetida Species Brassica napus	OECD 207 OECD 207 Method OECD 208	Exposure time (days)		
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate	NOEC LD 50 Endpoint EC 50	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 1000 1000	Eisenia fetida Eisenia fetida Species Brassica napus	OECD 207 OECD 207 Method OECD 208	Exposure time (days) - 14 14 14 Exposure time (days) - 21 19 Exposure		bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - birds, if available: Ingredient(s)	Endpoint NOEC LD 50 Endpoint EC 50 EC 50	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 2000 No data available 34 Value	Eisenia fetida Eisenia fetida Species Brassica napus Brassica napus	OECD 207 OECD 207 Method OECD 208 OECD 208	Exposure time (days) - 14 14 14 Exposure time (days) - 21 19	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - birds, if available: Ingredient(s) glycerol glycerol	Endpoint NOEC LD 50 Endpoint EC 50 EC 50	No data available e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available 526 34 Value No data available	Eisenia fetida Eisenia fetida Species Brassica napus Brassica napus	OECD 207 OECD 207 Method OECD 208 OECD 208	Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - birds, if available: Ingredient(s)	Endpoint NOEC LD 50 Endpoint EC 50 EC 50	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available 526 34 Value No data	Eisenia fetida Eisenia fetida Species Brassica napus Brassica napus	OECD 207 OECD 207 Method OECD 208 OECD 208	Exposure time (days) - 14 14 14 Exposure time (days) - 21 19 Exposure	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - birds, if available: Ingredient(s) glycerol 2-phenoxyethanol	Endpoint NOEC LD 50 Endpoint EC 50 EC 50	No data available e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available 526 34 Value No data available 526 No data available 526	Eisenia fetida Eisenia fetida Species Brassica napus Brassica napus	OECD 207 OECD 207 Method OECD 208 OECD 208	Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - birds, if available: Ingredient(s) glycerol glycerol	Endpoint NOEC LD 50 Endpoint EC 50 EC 50	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 2000 No data available 526 34 Value No data available 526 No data available 526 Value No data available Value No data available Value	Eisenia fetida Eisenia fetida Species Brassica napus Brassica napus	OECD 207 OECD 207 Method OECD 208 OECD 208	Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - birds, if available: Ingredient(s) glycerol 2-phenoxyethanol errestrial toxicity - beneficial insects, if available:	Endpoint NOEC LD 50 Endpoint EC 50 EC 50 Endpoint	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 2000 Value (mg/kg dw soil) No data available 526 34 Value No data available	Eisenia fetida Eisenia fetida Species Brassica napus Brassica napus Species	OECD 207 OECD 207 Method OECD 208 OECD 208 Method	Exposure time (days)	Effects o	bserved
errestrial toxicity errestrial toxicity - soil invertebrates, including eart Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - plants, if available: Ingredient(s) glycerol chlorhexidine digluconate 2-phenoxyethanol errestrial toxicity - birds, if available: Ingredient(s) glycerol 2-phenoxyethanol errestrial toxicity - beneficial insects, if available:	Endpoint NOEC LD 50 Endpoint EC 50 EC 50 Endpoint	e: Value (mg/kg dw soil) No data available > 1000 1000 Value (mg/kg dw soil) No data available > 1000 Value (mg/kg dw soil) No data available 526 34 Value No data available No data available Value Value (mg/kg dw	Eisenia fetida Eisenia fetida Species Brassica napus Brassica napus Species	OECD 207 OECD 207 Method OECD 208 OECD 208 Method	Exposure time (days)	Effects o	bserved

	Terrestrial toxicity - soil bacteria, if available:						
	Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observ
,							

	soil)				
glycerol	No data			-	
	available				
2-phenoxyethanol	147	Not specified	OECD 217	7	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

mercure are greatesters: protecting contains and, it is				
Ingredient(s)	Half-life time	Method	Evaluation	Remark
chlorhexidine digluconate	No data available	QSAR Read across	Rapidly photodegradable	Estimate

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
chlorhexidine digluconate	> 365 day(s)	OECD 111		

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
chlorhexidine	Photolysis	8.6- 69.1 day(s)	Method not given	Degradable by photolysis in water	
digluconate					

BiodegradationReady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
glycerol			60% in 28 day(s)	Method not given	Readily biodegradable
chlorhexidine digluconate				Weight of evidence	Not readily biodegradable.
sodium cocoamphopropionate			71 % in 28 day(s)	OECD 301F	Readily biodegradable
2-phenoxyethanol		COD removal	90 % in 28 day(s)	OECD 301F	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Ingredient(s)	Value	Method	Evaluation	Remark
glycerol	-1.76	Method not given	No bioaccumulation expected	
chlorhexidine digluconate	-1.81	OECD 107		
sodium cocoamphopropionate	No data available			
2-phenoxyethanol	1.2	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
glycerol	No data available				
chlorhexidine digluconate	42		Weight of evidence	Low potential for bioaccumulation	
sodium cocoamphopropionate	No data available				
2-phenoxyethanol	0.35		Method not given	No bioaccumulation expected	

12.4 Mobility in soil

orntion to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
glycerol	No data available				Potential for mobility in soil, soluble in water
chlorhexidine digluconate	> 3.9		OECD 121		
sodium cocoamphopropionate	No data available				
2-phenoxyethanol	1.61	No data available	Method not given		Potential for adsorption to soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

The concentrated contents or contaminated packaging should be disposed of by a certified handler

products: or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 3082

14.2 UN proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (chlorhexidine digluconate)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 9

14.4 Packing group: III 14.5 Environmental hazards: Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: M6 Tunnel restriction code: -Hazard identification number: 90

IMO/IMDG

EmS: F-A, S-F

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EU) No 528/2012 on biocidal products
- Regulation (EC) No 1272/2008 CLP
 Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No. 648/2004 Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: GFX2-T0NT-S00X-5Y2G

Ingredients according to EC Detergents Regulation 648/2004

disinfectants, amphoteric surfactants, non-ionic surfactants

Phenoxyethanol

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1001841 Version: 01.3 Revision: 2018-12-09

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 4, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3: • H302 - Harmful if swallowed. • H318 - Causes serious eye damage.

- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement

- PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate

End of Safety Data Sheet